




SPRINKLER / LOOP HANGER WITH RUBBER LINING



FEATURES AND BENEFITS.

- | | |
|----------------------|---|
| Description:- | <ul style="list-style-type: none"> * For use in fire fighting and sprinkler installations. * Easy to install and adjust, without tools. * High load capacity due to one piece design. * Knurled swivel nut to adjust vertical pipe alignment during and after installation. |
| Material:- | Mild steel, other materials on request. |
| Special:- | <ul style="list-style-type: none"> * Electro galvanized as per ASTM B 633. * Noise reduction up to 188 dB (A). * Temperature resistance from -20°C to +100°C. * Designed to meet MSS Standard SP 58 type 10 and SP 69. |

Product Code	Nominal Pipe Size		Pipe OD (D)	Height	Hanger Rod (G)		Max Load (N)	Microns (μ)	Box Quantity.
	Inches.	(mm)	mm	(H) mm	inches	mm			
HGEPHR027	¾"	DN20	26.7	61	3/8"	M10	3000	8 - 15	350
HGEPHR034	1"	DN25	33.4	70	3/8"	M10	3000	8 - 15	300
HGEPHR042	1 ½"	DN32	42.1	78	3/8"	M10	3000	8 - 15	250
HGEPHR048	1 ½"	DN40	48.2	84	3/8"	M10	3000	8 - 15	200
HGEPHR060	2"	DN50	60.3	102	3/8"	M10	3000	8 - 15	150
HGEPHR073	2 ½"	DN65	73	118	3/8"	M10	4500	8 - 15	125
HGEPHR090	3"	DN80	88.9	144	3/8"	M10	4500	8 - 15	80
HGEPHR114	4"	DN100	114.3	176	3/8"	M10	5500	8 - 15	60
HGEPHR141	5"	DN125	141.3	220	1/2"	M12	6500	8 - 15	40
HGEPHR168	6"	DN150	168.3	262	1/2"	M12	7500	8 - 15	25
HGEPHR219	8"	DN200	219.1	305	1/2"	M12	9000	8 - 15	12
HGEPHR273	10"	DN250	273	320	1/2"	M12	9000	8 - 15	5

NOTE:- 1. CUSTOMIZED DIMENSIONS AVAILABLE ON REQUEST.

